




Led power supplies



MEAN-60-67-24

MeanWell 24VDC power supply for industrial use. Insulated plastic housing with high reliability. Works on the principle of constant voltage. Input voltage : 100-240VAC, 50 ~ 60Hz. With short-circuit protection/over-voltage protection/over-load protection. Choose the power of the power supply by adding 15 to 20 percent to the connected power. TYPE LPV-60-24 : 100W - 24V/2.5A - Class 2 - IP67 - 162x42x30mm - not dimmable - 2xAWG 30cm. Suitable for VOLTRON® strips, panels and downlighters. Always 2 years warranty



Technical data

Productnumber	Barcode	IP value	Voltage	Wattage
MEAN-60-67-24	LH-1188	67	24V	60W
Length	Width	Height	Constant voltage	Constant current
16,25CM	4,25CM	3,2CM	V	-
Packed per	Full package			
1	32			

Specification text*

LED power supply - Power: 60 Watt - Input range: Universal AC input / Full range 90 ~ 264 Vac - Output range: 5, 12, 15, 24, 36, 48 Vdc
 - Enclosure: LED Enclosed Plastic - Enclosure size: 162x 42x 30 mm - Warranty: 2 Years - Certification: CE - Cooling: Free Air Circulation -
 Protection: Short circuit - Potted: Yes - IP Score: IP67

Inrush current = COLD START 60A(twidth=525µs measured at 50% Ipeak) at 230VAC - SAFETY STANDARDS: UL879(except for LPV-60-5),
 UL1310(except for LPV-60-5), CSA C22.2 No. 207-M89(except for LPV-60-5, LPV-60-48),CAN/CSA C22.2 No. 223-M91(except for LPV-60-
 5,LPV-60-48), BIS IS15885(for LPV-60-12,LPV-60-24 only), EAC TP TC 004, IP67, IEC/EN 62368-1 approved - Compliance to EN55032 (CISPR32)
 Class B, EN61000-3-2 Class A, EN61000-3-3, EAC TP TC 020 - Compliance to EN61000-4-2,3,4,5,6,8,11, EN55024, light industry level, criteria A,
 EAC TP TC 020

* Available on the website

Areas of application

For LED strips / LED panels (The Flat Hanger, The Flat round, The Flat square) / IP65 power supplies for inside and outside / Din rail power supplies for industrial installations or for mounting in special cabinets / Recommended for all LED installations in professional environments.

Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: https://www.voltron-lighting.com/product/EN/43/1188/Led_power_supplies--MEAN-60-67-24 or can be requested through your contact person.

Direct link website



Product barcode



The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws.

The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group.

Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copyright law and may not be used or multiplied without express permission.